



We're The **SILENT** Vibrator Guys.™

**FAX: 401-539-2584**


**\* = INFORMATION REQUIRED FOR PROPER VIBRATOR RECOMMENDATION**

COMPANY \_\_\_\_\_  
 CONTACT NAME \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 \_\_\_\_\_  
 PHONE \_\_\_\_\_ FAX \_\_\_\_\_  
 EMAIL \_\_\_\_\_

**CHUTE**

Chute Material:  Steel  Wood Wall Thickness: \_\_\_\_\_ Total Length: \_\_\_\_\_  
 Width - Upper End: \_\_\_\_\_ Width - Lower End: \_\_\_\_\_ Depth: \_\_\_\_\_  
 Degree of Slope Off Horizontal: \_\_\_\_\_  
 Chute is:  Rigidly Mounted in Place  Hanging/Suspended  Movable  
 Isolation is:  Rubber Mounts or Pads  Coil Springs  Concrete Footings

**CHUTE  
or FEEDER**



**PLEASE INCLUDE**

engineering drawings & digital picture(s) of application & email them to **vibrators@vibco.com**.  
 Or please include dimensions & notes regarding your application/problems on this form  
 and fax it to **401-539-2584**.

**MATERIAL TO BE VIBRATED \***

Type (not brand name): \_\_\_\_\_  
 Moisture & Texture:  dry  damp  wet  granular  powder  
 Weight per cubic foot: \_\_\_\_\_ lbs  
 Discharge:  continuous  intermittent  
 Flow Problem:  clogging  clogging OTHER: \_\_\_\_\_

**POWER AVAILABLE - preferred \***

AIR Volume \_\_\_\_\_ CFM at \_\_\_\_\_ PSI pressure at vibrators (not at compressor): \_\_\_\_\_  
 ELECTRIC Phase \_\_\_\_\_ Volts \_\_\_\_\_ Cycles \_\_\_\_\_ AC \_\_\_\_\_ DC \_\_\_\_\_

**www.vibco.com • 800-633-0032 • vibrators@vibco.com**

**VIBCO VIBRATORS CHUTE INQUIRY DATA SHEET**